Listeria Monocytogenes La111 and Klebsiella Pneumoniae KCTC 2242: Shine-Dalgarno Sequences

Gholamreza Motalleb*

Department of Biology, University of Zabol, Zabol, Iran.

Submmited 7 Nov 2013; Accepted 1 Jan 2014

Key words: Molecular biology, genomics, microbiology, Shine-Dalgarno sequences

Possible correlation and associations of rare bacteria with serious disease, especially cancer and laboratory isolations of these organisms in these patients have initiated the studies of pathogenetic significance of the agent (1). *Listeria monocytogenes* is an aerobic, gram-positive bacillus that has become an important pathogen in the 21st century (2). Transplantation patients, persons with neoplastic disease, immunocompromised subjects,

pregnant women (2), and HIV patients (3) are at high risk. To our knowledge, infection relapse of *Listeria monocytogenes* is rare, but relapse of listeriosis has been reported in leukemia and colorectal cancer (2, 4). *Klebsiella pneumoniae* is a gram-negative, anaerobic, and rod shaped bacterium. Neoplastic diseases are common in patients with nosocomial *Klebsiella pneumoniae* bacteraemia (5). Henao-Martínez et al. reported that

^{*}Corresponding author: Department of Biology, University of Zabol, Zabol, Iran. Email: reza.motaleb@uoz.ac.ir

E. coli and Klebsiella pneumoniae are especially prevalent in patients with gastrointestinal (GI) and lung cancers (6). Due to their abilities to cause basic cellular functional changes and attack host defense mechanisms, these bacteria have become a model for host pathogen interactions (7).

A molecular machine like ribosome translates the genetic code from messenger RNA into an amino acid sequence by RNA selection, peptide bond formation and translocation (8). Protein synthesis by ribosomes takes place on a linear substrate but at variable speeds. Transient pausing of ribosomes can impact a variety of cotranslational processes, including protein targeting and folding. These pauses are influenced by the sequence of the mRNA. Thus, redundancy in the genetic code allows the same protein to be translated at different rates (9). mRNA sequences contain many AUG. How does the translation machinery distinguish which one is the initiation codon? Initial positioning of the ribosome on mRNA involves the recognition of a purine rich sequence, known as the Shine Dalgarno (SD) sequence, located upstream of the AUG initiation codon on the mRNA (8).

In 1974, Shine and Dalgarno sequenced the 3' end of Escherichia coli's 16S ribosomal RNA (rRNA) and observed that part of the sequence, 5'-ACCUCC-3', was complementary to a motif, 5'-GGAGGU-3', located 5' of the initiation codons in several messenger RNAs (mRNAs) (9). They combined this observation with previously published experimental evidences and suggested that complementarity between the 3' tail of the 16S rRNA and the region 5' of the start codon on the mRNA was sufficient to create a stable, doublestranded structure that could position the ribosome correctly on the mRNA during translation initiation. The motif on the mRNAs, 5'- GGAGGU-3', and variations on it that are also complementary to parts of the 3' 16S rRNA tail, have since been referred to as the Shine-Dalgarno (SD) sequence. Shine and Dalgarno's theory was bolstered by Steitz and Jakes in 1975 (10) and eventually experimentally verified in 1987, by Hui and de Boer (11) and Jacob et al. (12). The SD sequence has been established by experimental evidence that came from mutation studies. Unfortunately, experiments are tedious and only a few mutated SD sequences have been examined. Biopharmaceutical studies are highly interested in improving translation efficiency (13). In the present study, we tried to find the best possible SD for translation in *Listeria monocytogenes* La111, and *Klebsiella pneumoniae* KCTC 2242 through DAMBE software and BLAST analyzes.

Materials and methods

This research started in Spring 2013 and data analyses were performed at bioinformatics facility of Faculty of Sciences in Zabol University, Iran. Listeria monocytogenes La111 (NCBI Reference sequence: NC 020557) and Klebsiella pneumoniae **KCTC** 2242 (NCBI Reference sequence: CP002910) genome sequences were retrieved from http://www.ncbi.nlm.nih.gov. Fifty upstream of the initiation coding sequences from each gene were extracted and position weight matrix (PWM) was employed to determine the SD sequence and location by the FASTA algorithm using DAMBE (14, 15). PWM is computed as: $PWM_{ij} = log_2\left(\frac{p_{ij}}{p_i}\right)$ (1) where i= 1, 2, 3 and 4 refer to A, C, G and U, respectively, and j is the site index, and p_i is the background frequency of nucleotide i, and p_{ij} is the site specific nucleotide frequency for nucleotide *i* at site *j*.

Results

The position and sequence of Shine-Dalgarno as a functional motif was investigated in *Listeria monocytogenes* La111 and *Klebsiella pneumoniae* KCTC 2242 in order to find genetic motifs by DAMBE. SD sequence is often characterized by altered nucleotide frequencies (15). Table 1 and Figure 1 show the site specific frequency for

Table	1. Site	specific frec noniae KCTC	quencies a	nalysis of
Site	<u>ена рнеин</u> А	C	G	U
1	1153	1289	1333	1148
2	1143	1313	1253	1214
3	1152	1247	1334	1190
4	1187	1222	1311	1203
5	1199	1247	1243	1234
6	1151	1269	1289	1214
7	1182	1299	1251	1191
8	1245	1174	1256	1248
9	1106	1301	1290	1226
10	1212	1237	1345	1129
11	1187	1286	1163	1287
12	1108	1274	1250	1291
13	1196	1243	1280	1204
14	1275	1204	1128	1316
15	1161	1295	1203	1264
16	1168	1321	1260	1174
17	1225	1290	1125	1283
18	1213	1235	1226	1249
19	1177	1281	1230	1235
20	1194	1248	1128	1353
21	1097	1299	1229	1298
22	1231	1308	1168	1216
23	1240	1216	1145	1322
24	1184	1314	1134	1291
25	1271	1303	1128	1221
26	1324	1201	1039	1359
27	1185	1335	1060	1343
28	1247	1291	1115	1270
29	1325	1232	992	1374
30	1258	1230	1011	1424
31	1368	1264	992	1299
32	1473	1169	911	1370
33	1339	1138	1052	1394
34	1507	1158	1007	1251
35	1541	1121	965	1296
36	1478	1035	1157	1253
37	1674	997	1178	1074
38	1734	962	1183	1044
39	1723	807	1562	831
40	1702	611	2053	557
41	1552	397	2456	518
42	1371	352	2738	462
43	1738	472	2084	629
44	1775	659	1640	849
45	1594	804	1430	1095
46	1541	1069	1122	1191
47	1556	1205	1082	1080
48	1929	942	1315	737
49	1088	1544	765	1526
50	1040	1484	993	1406
50	1040	1+04	223	1400

^{*} Site-specific counts with a window of 50 bases. A: adenine; C: cytosine; G: guanine; U: uracil. For example at site 1, A, 1153 times, C, 1289 times has been replicated and so on. The site specific frequencies can be used to derive a PWM to rapidly scan other sequences.

Table	2. Site	specific fr	equencies	analysis of
		togenes La1		,
Site	A	С	G	U
1	1082	509	586	954
2	1079	495	563	994
3	1020	482	629	1000
4	1090	453	609	979
5	1136	469	536	990
6	1092	466	612	961
7	1135	491	592	913
8	1123	520	538	950
9	1075	455	600	1001
10	1051	492	675	913
11	1099	472	559	1001
12	1125	452	587	967
13	1150	447	604	930
14	1105	475	525	1026
15	1177	390	552	1012
16	1182	391	633	925
17	1183	441	512	995
18	1077	466	604	984
19	1172	447	605	907
20	1175	452	565	939
21	1173	422	589	930
22	1181	445	615	890
23	1210	442	537	942
24	1231	418	538	944
25	1253	414	555	909
26	1263	415	457	996
27	1203	391	503	991
28	1252	442	518	919
29	1232	437	504	958
30	1232	402	513	972
31	1321	380	572	858
32	1223	391	531	986
33	1320	335	603	873
34	1446			
35	1446	308 313	667 659	710 698
0.5		0.1.0	0.4.0	
36	1467	212	813	639
37	1430	228	1013	460
38 39	1171	199	1330	431
	918	164	1708	341
40	961	172	1680	318
41	1039	194	1492	406
42	752	224	1602	553
43	898	283	1279	671
44	1108	302	913	808
45	1204	325	778	824
46	1241	325	598	967
47	1204	443	498	986
48	1321	482	581	747
49	1354	448	453	876
50	1341	487	463	840

^{*} Site-specific counts with a window of 50 bases. A: adenine; C: cytosine; G: guanine; U: uracil. For example at site 1, A, 1082 times, C, 509 times has been replicated and so on. The site specific frequencies can be used to derive a PWM to rapidly scan other sequences.

Site specific frequency




Fig 1. Site specific frequency scatter diagram of *Klebsiella* pneumoniae KCTC 2242.

Klebsiella pneumoniae KCTC 2242. Also Table 2 and Figure 2 show the site specific frequency for Listeria monocytogenes La111. PWM analysis showed that the consensus sequence for Klebsiella pneumoniae KCTC 2242 was CCCCCCUCCCC-CUCCCCUCCUCCUUUUUAAAAAAG-GGGAAAAACC (Table 3) and for Listeria monocytogenes La111 was CCCCCCCUCCCCUUU-UUCAC (Table 4). FASTA algo-rithm analysis search output for Klebsiella pneumoniae KCTC 2242 and Listeria monocytogenes La111 has been shown in Tables 5 and 6. The results showed that the PSD was higher in Listeria monocytogenes La111 compared to Klebsiella pneumoniae KCTC 2242 (0.9090> 0.8618) (Table. 7). In Listeria monocytogenes La111, 2600 genes and in Klebsiella pneumoniae KCTC 2242, 3830 genes have Nm (the number of matched sites) ≥ 3 and Sm (the start of the match) within the range of 30 and 45 (NSD) and the proportion of 50 mers with the SD sequences is PSD = NSD/N (Table 7). In Tables 5 and 6, the second column being Nm or number of matched sites between the SD sequences and the 50 mers and third column is Sm or start of the match.

Discussion

Site specific frequency




Fig 2. Site specific frequency scatter diagram of *Listeria* monocytogenes La111.

This study was conducted in order to find SD sequences in bacterial species by focusing on Klebsiella pneumoniae KCTC 2242 (representing gram negative bacteria) and Listeria monocytogenes La111 (representing gram positive bacteria) by performing a simulation study. Fifty nucleotides upstream of the CDS or coding sequences were extracted from each gene, then position weight matrix or PWM was used in order to find the SD sequence location (15). We studied and focused on those results or signals limited to the 20 nucleotides upstream of the CDSs. After that, the 16S rRNA or small subunit rRNA was extracted from the genome and we used the last 8 nucleotides in order to find the best match to the upstream sequence by the FASTA algorithm to rank SDs by the number of matched sites (matching strength or simply MS). Translation initiation is the limiting step and a main phase in gene expression in bacteria (16, 17).

As messenger RNAs has many AUG sequences, the main question is: How does the translational machinery knows which one is the initiation codon? In eukaryotes, this is accomplished by the scanning of the small ribosomal subunit which finds the first AUG and in prokaryotes, mainly through the matching between the Shine Dalgarno (SD) sequences located about 9 nucleotides upstream of the translation initiation

1 0.2105- 0.1726 0.0677 0.0304- 2 0.2230- 0.1992 0.0215- 0.0502 3 0.2117- 0.1248 0.0688 0.0214 4 0.1685- 0.0956 0.0437 0.0371 5 0.1540- 0.1248 0.0331- 0.0703 6 0.2130- 0.1500 0.0193 0.0502 7 0.1746- 0.1837 0.0238- 0.0227 8 0.0997- 0.0378 0.0181- 0.0901 9 0.2705- 0.1859 0.0204 0.0644 10 0.1385- 0.1132 0.0807 0.0545- 11 0.1685- 0.1692 0.1290- 0.1345 12 0.2679- 0.1557 0.0250- 0.1389 13 0.1576- 0.1201 0.0092 0.0383 14 0.0654- 0.0742 0.1731- 0.1666 15 0.2005- 0.1792 0.0803- 0.1085	Site	A	С	G	U
3 0.2117- 0.1248 0.0688 0.0214 4 0.1685- 0.0956 0.0437 0.0371 5 0.1540- 0.1248 0.0331- 0.0738 6 0.2130- 0.1500 0.0193 0.0502 7 0.1746- 0.1837 0.0238- 0.0227 8 0.0997- 0.0378 0.0181- 0.0901 9 0.2705- 0.1859 0.0204 0.0644 10 0.1385- 0.1132 0.0807 0.0545- 11 0.1685- 0.1692 0.1290- 0.1345 12 0.2679- 0.1557 0.0250- 0.1389 13 0.1576- 0.1201 0.0092 0.0383 14 0.0654- 0.0742 0.1731- 0.1666 15 0.2005- 0.1792 0.0803- 0.1085 16 0.1918- 0.2079 0.0135- 0.0019 17 0.1231- 0.1737 0.1770- 0.1300	1	0.2105-	0.1726	0.0677	
4 0.1685- 0.0956 0.0437 0.0371 5 0.1540- 0.1248 0.0331- 0.0738 6 0.2130- 0.1500 0.0193 0.0502 7 0.1746- 0.1837 0.0238- 0.0227 8 0.0997- 0.0378 0.0181- 0.0901 9 0.2705- 0.1859 0.0204 0.0644 10 0.1385- 0.1132 0.0807 0.0545- 11 0.1685- 0.1692 0.1290- 0.1345 12 0.2679- 0.1557 0.0250- 0.1389 13 0.1576- 0.1201 0.0092 0.0383 14 0.0654- 0.0742 0.1731- 0.1666 15 0.2005- 0.1792 0.0803- 0.1085 16 0.1918- 0.2079 0.0135- 0.0019 17 0.1231- 0.1737 0.1770- 0.1300 18 0.1373- 0.1108 0.0529- 0.0912	2	0.2230-	0.1992	0.0215-	0.0502
5 0.1540- 0.1248 0.0331- 0.0738 6 0.2130- 0.1500 0.0193 0.0502 7 0.1746- 0.1837 0.0238- 0.0227 8 0.0997- 0.0378 0.0181- 0.0901 9 0.2705- 0.1859 0.0204 0.0644 10 0.1385- 0.1132 0.0807 0.0545- 11 0.1685- 0.1692 0.1290- 0.1345 12 0.2679- 0.1557 0.0250- 0.1389 13 0.1576- 0.1201 0.0092 0.0383 14 0.0654- 0.0742 0.1731- 0.1666 15 0.2005- 0.1792 0.0803- 0.1085 16 0.1918- 0.2079 0.0135- 0.0019 17 0.1231- 0.1737 0.1770- 0.1300 18 0.1373- 0.1108 0.0529- 0.0912 19 0.1807- 0.1636 0.0483- 0.0750 <td>3</td> <td>0.2117-</td> <td>0.1248</td> <td>0.0688</td> <td>0.0214</td>	3	0.2117-	0.1248	0.0688	0.0214
6 0.2130- 0.1500 0.0193 0.0502 7 0.1746- 0.1837 0.0238- 0.0227 8 0.0997- 0.0378 0.0181- 0.0901 9 0.2705- 0.1859 0.0204 0.0644 10 0.1385- 0.1132 0.0807 0.0545- 11 0.1685- 0.1692 0.1290- 0.1345- 12 0.2679- 0.1557 0.0250- 0.1389- 13 0.1576- 0.1201 0.0092 0.0383 14 0.0654- 0.0742 0.1731- 0.1666 15 0.2005- 0.1792 0.0803- 0.1085 16 0.1918- 0.2079 0.0135- 0.0019 17 0.1231- 0.1737 0.1770- 0.1300 18 0.1373- 0.1108 0.0529- 0.0912 19 0.1807- 0.1636 0.0483- 0.0750 20 0.1601- 0.1259- 0.1731- 0.2066	4	0.1685-	0.0956	0.0437	0.0371
6 0.2130- 0.1500 0.0193 0.0502 7 0.1746- 0.1837 0.0238- 0.0227 8 0.0997- 0.0378 0.0181- 0.0901 9 0.2705- 0.1859 0.0204 0.0644 10 0.1385- 0.1132 0.0807 0.0545- 11 0.1685- 0.1692 0.1290- 0.1345- 12 0.2679- 0.1557 0.0250- 0.1389- 13 0.1576- 0.1201 0.0092 0.0383 14 0.0654- 0.0742 0.1731- 0.1666 15 0.2005- 0.1792 0.0803- 0.1085 16 0.1918- 0.2079 0.0135- 0.0019 17 0.1231- 0.1737 0.1770- 0.1300 18 0.1373- 0.1108 0.0529- 0.0912 19 0.1807- 0.1636 0.0483- 0.0750 20 0.1601- 0.1259- 0.1731- 0.2066	5	0.1540-	0.1248	0.0331-	0.0738
8 0.0997- 0.0378 0.0181- 0.0901 9 0.2705- 0.1859 0.0204 0.0644 10 0.1385- 0.1132 0.0807 0.0545- 11 0.1685- 0.1692 0.1290- 0.1345 12 0.2679- 0.1557 0.0250- 0.1389 13 0.1576- 0.1201 0.0092 0.0383 14 0.0654- 0.0742 0.1731- 0.1666 15 0.2005- 0.1792 0.0803- 0.1085 16 0.1918- 0.2079- 0.0135- 0.0019 17 0.1231- 0.1737- 0.1700- 0.1300 18 0.1373- 0.1108 0.0529- 0.0912 19 0.1807- 0.1636- 0.0483- 0.0750 20 0.1601- 0.1259- 0.1731- 0.2066 21 0.2823- 0.1837 0.0494- 0.1467 22 0.1160- 0.1937 0.1229- 0.0526	6	0.2130-	0.1500	0.0193	
9 0.2705- 0.1859 0.0204 0.0644 10 0.1385- 0.1132 0.0807 0.0545- 11 0.1685- 0.1692 0.1290- 0.1345 12 0.2679- 0.1557 0.0250- 0.1389 13 0.1576- 0.1201 0.0092 0.0383 14 0.0654- 0.0742 0.1731- 0.1666 15 0.2005- 0.1792 0.0803- 0.1085 16 0.1918- 0.2079 0.0135- 0.0019 17 0.1231- 0.1737 0.1770- 0.1300 18 0.1373- 0.1108 0.0529- 0.0912 19 0.1807- 0.1636 0.0483- 0.0750 20 0.1601- 0.1259 0.1731- 0.2066 21 0.2823- 0.1837 0.0494- 0.1467 22 0.1160- 0.1937 0.1229- 0.0526 23 0.1055- 0.0885 0.1515- 0.1389	7	0.1746-	0.1837	0.0238-	0.0227
10 0.1385- 0.1132 0.0807 0.0545- 11 0.1685- 0.1692 0.1290- 0.1345 12 0.2679- 0.1557 0.0250- 0.1389 13 0.1576- 0.1201 0.0092 0.0383 14 0.0654- 0.0742 0.1731- 0.1666 15 0.2005- 0.1792 0.0803- 0.1085 16 0.1918- 0.2079 0.0135- 0.0019 17 0.1231- 0.1737 0.1770- 0.1300 18 0.1373- 0.1108 0.0529- 0.0912 19 0.1807- 0.1636 0.0483- 0.0750 20 0.1601- 0.1259 0.1731- 0.2066 21 0.2823- 0.1837 0.0494- 0.1467 22 0.1160- 0.1937 0.1229- 0.0526 23 0.1055- 0.0885 0.1515- 0.1732 24 0.1722- 0.2003 0.1655- 0.1389	8	0.0997-	0.0378	0.0181-	0.0901
11 0.1685- 0.1692 0.1290- 0.1345 12 0.2679- 0.1557 0.0250- 0.1389 13 0.1576- 0.1201 0.0092 0.0383 14 0.0654- 0.0742 0.1731- 0.1666 15 0.2005- 0.1792 0.0803- 0.1085 16 0.1918- 0.2079 0.0135- 0.0019 17 0.1231- 0.1737 0.1770- 0.1300 18 0.1373- 0.1108 0.0529- 0.0912 19 0.1807- 0.1636 0.0483- 0.0750 20 0.1601- 0.1259- 0.1731- 0.2066 21 0.2823- 0.1837 0.0494- 0.1467 22 0.1160- 0.1937 0.1229- 0.0526 23 0.1055- 0.0885 0.1515- 0.1732 24 0.1722- 0.2003 0.1655- 0.1389 25 0.0699- 0.1881 0.1731- 0.2130	9	0.2705-	0.1859	0.0204	0.0644
12 0.2679- 0.1557 0.0250- 0.1389 13 0.1576- 0.1201 0.0092 0.0383 14 0.0654- 0.0742 0.1731- 0.1666 15 0.2005- 0.1792 0.0803- 0.1085 16 0.1918- 0.2079 0.0135- 0.0019 17 0.1231- 0.1737 0.1770- 0.1300 18 0.1373- 0.1108 0.0529- 0.0912 19 0.1807- 0.1636 0.0483- 0.0750 20 0.1601- 0.1259 0.1731- 0.2066 21 0.2823- 0.1837 0.0494- 0.1467 22 0.1160- 0.1937 0.1229- 0.0526 23 0.1055- 0.0885 0.1515- 0.1732 24 0.1722- 0.2003 0.1655- 0.1389 25 0.0699- 0.1881 0.1731- 0.0585 26 0.0110- 0.0706 0.2917- 0.2130	10	0.1385-	0.1132	0.0807	0.0545-
13 0.1576- 0.1201 0.0092 0.0383 14 0.0654- 0.0742 0.1731- 0.1666 15 0.2005- 0.1792 0.0803- 0.1085 16 0.1918- 0.2079 0.0135- 0.0019 17 0.1231- 0.1737 0.1770- 0.1300 18 0.1373- 0.1108 0.0529- 0.0912 19 0.1807- 0.1636 0.0483- 0.0750 20 0.1601- 0.1259- 0.1731- 0.2066 21 0.2823- 0.1837- 0.0494- 0.1467 22 0.1160- 0.1937- 0.1229- 0.0526 23 0.1055- 0.0885- 0.1515- 0.1732 24 0.1722- 0.2003- 0.1655- 0.1389 25 0.0699- 0.1881- 0.1731- 0.0585 26 0.0110- 0.0706- 0.2917- 0.2130 27 0.1710- 0.2231- 0.2628- 0.19	11	0.1685-	0.1692	0.1290-	0.1345
14 0.0654- 0.0742 0.1731- 0.1666 15 0.2005- 0.1792 0.0803- 0.1085 16 0.1918- 0.2079 0.0135- 0.0019 17 0.1231- 0.1737 0.1770- 0.1300 18 0.1373- 0.1108 0.0529- 0.0912 19 0.1807- 0.1636 0.0483- 0.0750 20 0.1601- 0.1259- 0.1731- 0.2066 21 0.2823- 0.1837 0.0494- 0.1467 22 0.1160- 0.1937- 0.1229- 0.0526 23 0.1055- 0.0885- 0.1515- 0.1732 24 0.1722- 0.2003- 0.1655- 0.1389 25 0.0699- 0.1881- 0.1731- 0.0585 26 0.0110- 0.0706- 0.2917- 0.2130 27 0.1710- 0.2231- 0.2628- 0.1959 28 0.0974- 0.1748- 0.1898- 0.1	12	0.2679-	0.1557	0.0250-	0.1389
14 0.0654- 0.0742 0.1731- 0.1666 15 0.2005- 0.1792 0.0803- 0.1085 16 0.1918- 0.2079 0.0135- 0.0019 17 0.1231- 0.1737 0.1770- 0.1300 18 0.1373- 0.1108 0.0529- 0.0912 19 0.1807- 0.1636 0.0483- 0.0750 20 0.1601- 0.1259- 0.1731- 0.2066 21 0.2823- 0.1837 0.0494- 0.1467 22 0.1160- 0.1937- 0.1229- 0.0526 23 0.1055- 0.0885- 0.1515- 0.1732 24 0.1722- 0.2003- 0.1655- 0.1389 25 0.0699- 0.1881- 0.1731- 0.0585 26 0.0110- 0.0706- 0.2917- 0.2130 27 0.1710- 0.2231- 0.2628- 0.1959 28 0.0974- 0.1748- 0.1898- 0.1	13	0.1576-		0.0092	
15 0.2005- 0.1792 0.0803- 0.1085 16 0.1918- 0.2079 0.0135- 0.0019 17 0.1231- 0.1737 0.1770- 0.1300 18 0.1373- 0.1108 0.0529- 0.0912 19 0.1807- 0.1636 0.0483- 0.0750 20 0.1601- 0.1259 0.1731- 0.2066 21 0.2823- 0.1837 0.0494- 0.1467 22 0.1160- 0.1937 0.1229- 0.0526 23 0.1055- 0.0885 0.1515- 0.1732 24 0.1722- 0.2003 0.1655- 0.1389 25 0.0699- 0.1881 0.1731- 0.0585 26 0.0110- 0.0706 0.2917- 0.2130 27 0.1710- 0.2231 0.2628- 0.1959 28 0.0974- 0.1748 0.1898- 0.1153 29 0.0099- 0.1073 0.3584- 0.2288			0.0742		
16 0.1918- 0.2079 0.0135- 0.0019 17 0.1231- 0.1737 0.1770- 0.1300 18 0.1373- 0.1108 0.0529- 0.0912 19 0.1807- 0.1636 0.0483- 0.0750 20 0.1601- 0.1259 0.1731- 0.2066 21 0.2823- 0.1837 0.0494- 0.1467 22 0.1160- 0.1937 0.1229- 0.0526 23 0.1055- 0.0885 0.1515- 0.1732 24 0.1722- 0.2003 0.1655- 0.1389 25 0.0699- 0.1881 0.1731- 0.0585 26 0.0110- 0.0706 0.2917- 0.2130 27 0.1710- 0.2231 0.2628- 0.1959 28 0.0974- 0.1748 0.1898- 0.1153 29 0.0099- 0.1073 0.3584- 0.2288 30 0.0847- 0.1050 0.3311- 0.2804	15	0.2005-	0.1792	0.0803-	0.1085
17 0.1231- 0.1737 0.1770- 0.1300 18 0.1373- 0.1108 0.0529- 0.0912 19 0.1807- 0.1636 0.0483- 0.0750 20 0.1601- 0.1259 0.1731- 0.2066 21 0.2823- 0.1837 0.0494- 0.1467 22 0.1160- 0.1937 0.1229- 0.0526 23 0.1055- 0.0885 0.1515- 0.1732 24 0.1722- 0.2003 0.1655- 0.1389 25 0.0699- 0.1881 0.1731- 0.0585 26 0.0110- 0.0706 0.2917- 0.2130 27 0.1710- 0.2231 0.2628- 0.1959 28 0.0974- 0.1748 0.1898- 0.1153 29 0.0099- 0.1073 0.3584- 0.2288 30 0.0847- 0.1050 0.3311- 0.2804 31 0.0362 0.1443 0.3584- 0.1479	16				
18 0.1373- 0.1108 0.0529- 0.0912 19 0.1807- 0.1636 0.0483- 0.0750 20 0.1601- 0.1259 0.1731- 0.2066 21 0.2823- 0.1837 0.0494- 0.1467 22 0.1160- 0.1937 0.1229- 0.0526 23 0.1055- 0.0885 0.1515- 0.1732 24 0.1722- 0.2003 0.1655- 0.1389 25 0.0699- 0.1881 0.1731- 0.0585 26 0.0110- 0.0706 0.2917- 0.2130 27 0.1710- 0.2231 0.2628- 0.1959 28 0.0974- 0.1748 0.1898- 0.1153 29 0.0099- 0.1073 0.3584- 0.2288 30 0.0847- 0.1050 0.3311- 0.2804 31 0.0362 0.1443 0.3584- 0.1479 32 0.1428 0.0316 0.4813- 0.2246	17	0.1231-		0.1770-	
19 0.1807- 0.1636 0.0483- 0.0750 20 0.1601- 0.1259 0.1731- 0.2066 21 0.2823- 0.1837 0.0494- 0.1467 22 0.1160- 0.1937 0.1229- 0.0526 23 0.1055- 0.0885 0.1515- 0.1732 24 0.1722- 0.2003 0.1655- 0.1389 25 0.0699- 0.1881 0.1731- 0.0585 26 0.0110- 0.0706 0.2917- 0.2130 27 0.1710- 0.2231 0.2628- 0.1959 28 0.0974- 0.1748 0.1898- 0.1153 29 0.0099- 0.1073 0.3584- 0.2288 30 0.0847- 0.1050 0.3311- 0.2804 31 0.0362 0.1443 0.3584- 0.1479 32 0.1428 0.0316 0.4813- 0.2246 33 0.0053 0.0072- 0.2737- 0.2497					
20 0.1601- 0.1259 0.1731- 0.2066 21 0.2823- 0.1837 0.0494- 0.1467 22 0.1160- 0.1937 0.1229- 0.0526 23 0.1055- 0.0885 0.1515- 0.1732 24 0.1722- 0.2003 0.1655- 0.1389 25 0.0699- 0.1881 0.1731- 0.0585 26 0.0110- 0.0706 0.2917- 0.2130 27 0.1710- 0.2231 0.2628- 0.1959 28 0.0974- 0.1748 0.1898- 0.1153 29 0.0099- 0.1073 0.3584- 0.2288 30 0.0847- 0.1050 0.3311- 0.2804 31 0.0362 0.1443 0.3584- 0.1479 32 0.1428 0.0316 0.4813- 0.2246 33 0.0053 0.0072- 0.2737- 0.2497 34 0.1757 0.0180 0.3368- 0.0935	19			0.0483-	
21 0.2823- 0.1837 0.0494- 0.1467 22 0.1160- 0.1937 0.1229- 0.0526 23 0.1055- 0.0885 0.1515- 0.1732 24 0.1722- 0.2003 0.1655- 0.1389 25 0.0699- 0.1881 0.1731- 0.0585 26 0.0110- 0.0706 0.2917- 0.2130 27 0.1710- 0.2231 0.2628- 0.1959 28 0.0974- 0.1748 0.1898- 0.1153 29 0.0099- 0.1073 0.3584- 0.2288 30 0.0847- 0.1050 0.3311- 0.2804 31 0.0362 0.1443 0.3584- 0.1479 32 0.1428 0.0316 0.4813- 0.2246 33 0.0053 0.0072- 0.2737- 0.2497 34 0.1757 0.0180 0.3368- 0.0935 35 0.2079 0.0289- 0.3982- 0.1445					
22 0.1160- 0.1937 0.1229- 0.0526 23 0.1055- 0.0885 0.1515- 0.1732 24 0.1722- 0.2003 0.1655- 0.1389 25 0.0699- 0.1881 0.1731- 0.0585 26 0.0110- 0.0706 0.2917- 0.2130 27 0.1710- 0.2231 0.2628- 0.1959 28 0.0974- 0.1748 0.1898- 0.1153 29 0.0099- 0.1073 0.3584- 0.2288 30 0.0847- 0.1050 0.3311- 0.2804 31 0.0362 0.1443 0.3584- 0.1479 32 0.1428 0.0316 0.4813- 0.2246 33 0.0053 0.0072- 0.2737- 0.2497 34 0.1757 0.0180 0.3368- 0.0935 35 0.2079 0.0289- 0.3982- 0.1445 36 0.1477 0.1440- 0.1365- 0.0959				0.0494-	
23 0.1055- 0.0885 0.1515- 0.1732 24 0.1722- 0.2003 0.1655- 0.1389 25 0.0699- 0.1881 0.1731- 0.0585 26 0.0110- 0.0706 0.2917- 0.2130 27 0.1710- 0.2231 0.2628- 0.1959 28 0.0974- 0.1748 0.1898- 0.1153 29 0.0099- 0.1073 0.3584- 0.2288 30 0.0847- 0.1050 0.3311- 0.2804 31 0.0362 0.1443 0.3584- 0.1479 32 0.1428 0.0316 0.4813- 0.2246 33 0.0053 0.0072- 0.2737- 0.2497 34 0.1757 0.0180 0.3368- 0.0935 35 0.2079 0.0289- 0.3982- 0.1445 36 0.1477 0.1440- 0.1365- 0.0959 37 0.3273 0.1980- 0.1106- 0.1265-		0.1160-		0.1229-	
24 0.1722- 0.2003 0.1655- 0.1389 25 0.0699- 0.1881 0.1731- 0.0585 26 0.0110- 0.0706 0.2917- 0.2130 27 0.1710- 0.2231 0.2628- 0.1959 28 0.0974- 0.1748 0.1898- 0.1153 29 0.0099- 0.1073 0.3584- 0.2288 30 0.0847- 0.1050 0.3311- 0.2804 31 0.0362 0.1443 0.3584- 0.1479 32 0.1428 0.0316 0.4813- 0.2246 33 0.0053 0.0072- 0.2737- 0.2497 34 0.1757 0.0180 0.3368- 0.0935 35 0.2079 0.0289- 0.3982- 0.1445 36 0.1477 0.1440- 0.1365- 0.0959 37 0.3273 0.1980- 0.1106- 0.1265- 38 0.3781 0.2495- 0.1044- 0.1674-	23		0.0885		
25 0.0699- 0.1881 0.1731- 0.0585 26 0.0110- 0.0706 0.2917- 0.2130 27 0.1710- 0.2231 0.2628- 0.1959 28 0.0974- 0.1748 0.1898- 0.1153 29 0.0099- 0.1073 0.3584- 0.2288 30 0.0847- 0.1050 0.3311- 0.2804 31 0.0362 0.1443 0.3584- 0.1479 32 0.1428 0.0316 0.4813- 0.2246 33 0.0053 0.0072- 0.2737- 0.2497 34 0.1757 0.0180 0.3368- 0.0935 35 0.2079 0.0289- 0.3982- 0.1445 36 0.1477 0.1440- 0.1365- 0.0959 37 0.3273 0.1980- 0.1106- 0.1265- 38 0.3781 0.2495- 0.1044- 0.1674- 39 0.3690 0.5029- 0.2964 0.4965-	24				0.1389
26 0.0110- 0.0706 0.2917- 0.2130 27 0.1710- 0.2231 0.2628- 0.1959 28 0.0974- 0.1748 0.1898- 0.1153 29 0.0099- 0.1073 0.3584- 0.2288 30 0.0847- 0.1050 0.3311- 0.2804 31 0.0362 0.1443 0.3584- 0.1479 32 0.1428 0.0316 0.4813- 0.2246 33 0.0053 0.0072- 0.2737- 0.2497 34 0.1757 0.0180 0.3368- 0.0935 35 0.2079 0.0289- 0.3982- 0.1445 36 0.1477 0.1440- 0.1365- 0.0959 37 0.3273 0.1980- 0.1106- 0.1265- 38 0.3781 0.2495- 0.1044- 0.1674- 39 0.3690 0.5029- 0.2964 0.4965- 40 0.3513 0.9042- 0.6907 1.0734-		0.0699-			
27 0.1710- 0.2231 0.2628- 0.1959 28 0.0974- 0.1748 0.1898- 0.1153 29 0.0099- 0.1073 0.3584- 0.2288 30 0.0847- 0.1050 0.3311- 0.2804 31 0.0362 0.1443 0.3584- 0.1479 32 0.1428 0.0316 0.4813- 0.2246 33 0.0053 0.0072- 0.2737- 0.2497 34 0.1757 0.0180 0.3368- 0.0935 35 0.2079 0.0289- 0.3982- 0.1445 36 0.1477 0.1440- 0.1365- 0.0959 37 0.3273 0.1980- 0.1106- 0.1265- 38 0.3781 0.2495- 0.1044- 0.1674- 39 0.3690 0.5029- 0.2964 0.4965- 40 0.3513 0.9042- 0.6907 1.0734- 41 0.2182 1.5259- 0.9493 1.1781-					
28 0.0974- 0.1748 0.1898- 0.1153 29 0.0099- 0.1073 0.3584- 0.2288 30 0.0847- 0.1050 0.3311- 0.2804 31 0.0362 0.1443 0.3584- 0.1479 32 0.1428 0.0316 0.4813- 0.2246 33 0.0053 0.0072- 0.2737- 0.2497 34 0.1757 0.0180 0.3368- 0.0935 35 0.2079 0.0289- 0.3982- 0.1445 36 0.1477 0.1440- 0.1365- 0.0959 37 0.3273 0.1980- 0.1106- 0.1265- 38 0.3781 0.2495- 0.1044- 0.1674- 39 0.3690 0.5029- 0.2964 0.4965- 40 0.3513 0.9042- 0.6907 1.0734- 41 0.2182 1.5259- 0.9493 1.1781- 42 0.0393 1.6994- 1.1060 1.3431-					
29 0.0099- 0.1073 0.3584- 0.2288 30 0.0847- 0.1050 0.3311- 0.2804 31 0.0362 0.1443 0.3584- 0.1479 32 0.1428 0.0316 0.4813- 0.2246 33 0.0053 0.0072- 0.2737- 0.2497 34 0.1757 0.0180 0.3368- 0.0935 35 0.2079 0.0289- 0.3982- 0.1445 36 0.1477 0.1440- 0.1365- 0.0959 37 0.3273 0.1980- 0.1106- 0.1265- 38 0.3781 0.2495- 0.1044- 0.1674- 39 0.3690 0.5029- 0.2964 0.4965- 40 0.3513 0.9042- 0.6907 1.0734- 41 0.2182 1.5259- 0.9493 1.1781- 42 0.0393 1.6994- 1.1060 1.3431- 43 0.3815 1.2764- 0.7123 0.8981-	28	0.0974-	0.1748	0.1898-	
31 0.0362 0.1443 0.3584- 0.1479 32 0.1428 0.0316 0.4813- 0.2246 33 0.0053 0.0072- 0.2737- 0.2497 34 0.1757 0.0180 0.3368- 0.0935 35 0.2079 0.0289- 0.3982- 0.1445 36 0.1477 0.1440- 0.1365- 0.0959 37 0.3273 0.1980- 0.1106- 0.1265- 38 0.3781 0.2495- 0.1044- 0.1674- 39 0.3690 0.5029- 0.2964 0.4965- 40 0.3513 0.9042- 0.6907 1.0734- 41 0.2182 1.5259- 0.9493 1.1781- 42 0.0393 1.6994- 1.1060 1.3431- 43 0.3815 1.2764- 0.7123 0.8981- 44 0.4118 0.7951- 0.3667 0.4656- 45 0.2567 0.5083- 0.1691 0.0986-		0.0099-	0.1073	0.3584-	0.2288
32 0.1428 0.0316 0.4813- 0.2246 33 0.0053 0.0072- 0.2737- 0.2497 34 0.1757 0.0180 0.3368- 0.0935 35 0.2079 0.0289- 0.3982- 0.1445 36 0.1477 0.1440- 0.1365- 0.0959 37 0.3273 0.1980- 0.1106- 0.1265- 38 0.3781 0.2495- 0.1044- 0.1674- 39 0.3690 0.5029- 0.2964 0.4965- 40 0.3513 0.9042- 0.6907 1.0734- 41 0.2182 1.5259- 0.9493 1.1781- 42 0.0393 1.6994- 1.1060 1.3431- 43 0.3815 1.2764- 0.7123 0.8981- 44 0.4118 0.7951- 0.3667 0.4656- 45 0.2567 0.5083- 0.1691 0.0986- 46 0.2079 0.0974- 0.1808- 0.0227	30	0.0847-	0.1050	0.3311-	0.2804
32 0.1428 0.0316 0.4813- 0.2246 33 0.0053 0.0072- 0.2737- 0.2497 34 0.1757 0.0180 0.3368- 0.0935 35 0.2079 0.0289- 0.3982- 0.1445 36 0.1477 0.1440- 0.1365- 0.0959 37 0.3273 0.1980- 0.1106- 0.1265- 38 0.3781 0.2495- 0.1044- 0.1674- 39 0.3690 0.5029- 0.2964 0.4965- 40 0.3513 0.9042- 0.6907 1.0734- 41 0.2182 1.5259- 0.9493 1.1781- 42 0.0393 1.6994- 1.1060 1.3431- 43 0.3815 1.2764- 0.7123 0.8981- 44 0.4118 0.7951- 0.3667 0.4656- 45 0.2567 0.5083- 0.1691 0.0986- 46 0.2079 0.0974- 0.1808- 0.0227	31	0.0362	0.1443	0.3584-	0.1479
34 0.1757 0.0180 0.3368- 0.0935 35 0.2079 0.0289- 0.3982- 0.1445 36 0.1477 0.1440- 0.1365- 0.0959 37 0.3273 0.1980- 0.1106- 0.1265- 38 0.3781 0.2495- 0.1044- 0.1674- 39 0.3690 0.5029- 0.2964 0.4965- 40 0.3513 0.9042- 0.6907 1.0734- 41 0.2182 1.5259- 0.9493 1.1781- 42 0.0393 1.6994- 1.1060 1.3431- 43 0.3815 1.2764- 0.7123 0.8981- 44 0.4118 0.7951- 0.3667 0.4656- 45 0.2567 0.5083- 0.1691 0.0986- 46 0.2079 0.0974- 0.1808- 0.0227 47 0.2219 0.0754 0.2332- 0.1185- 48 0.5319 0.2798- 0.0481 0.6696- <td>32</td> <td>0.1428</td> <td>0.0316</td> <td>0.4813-</td> <td></td>	32	0.1428	0.0316	0.4813-	
35 0.2079 0.0289- 0.3982- 0.1445 36 0.1477 0.1440- 0.1365- 0.0959 37 0.3273 0.1980- 0.1106- 0.1265- 38 0.3781 0.2495- 0.1044- 0.1674- 39 0.3690 0.5029- 0.2964 0.4965- 40 0.3513 0.9042- 0.6907 1.0734- 41 0.2182 1.5259- 0.9493 1.1781- 42 0.0393 1.6994- 1.1060 1.3431- 43 0.3815 1.2764- 0.7123 0.8981- 44 0.4118 0.7951- 0.3667 0.4656- 45 0.2567 0.5083- 0.1691 0.0986- 46 0.2079 0.0974- 0.1808- 0.0227 47 0.2219 0.0754 0.2332- 0.1185- 48 0.5319 0.2798- 0.0481 0.6696- 49 0.2942- 0.4329 0.7332- 0.3802 <td>33</td> <td>0.0053</td> <td>0.0072-</td> <td>0.2737-</td> <td>0.2497</td>	33	0.0053	0.0072-	0.2737-	0.2497
36 0.1477 0.1440- 0.1365- 0.0959 37 0.3273 0.1980- 0.1106- 0.1265- 38 0.3781 0.2495- 0.1044- 0.1674- 39 0.3690 0.5029- 0.2964 0.4965- 40 0.3513 0.9042- 0.6907 1.0734- 41 0.2182 1.5259- 0.9493 1.1781- 42 0.0393 1.6994- 1.1060 1.3431- 43 0.3815 1.2764- 0.7123 0.8981- 44 0.4118 0.7951- 0.3667 0.4656- 45 0.2567 0.5083- 0.1691 0.0986- 46 0.2079 0.0974- 0.1808- 0.0227 47 0.2219 0.0754 0.2332- 0.1185- 48 0.5319 0.2798- 0.0481 0.6696- 49 0.2942- 0.4329 0.7332- 0.3802	34	0.1757	0.0180	0.3368-	
37 0.3273 0.1980- 0.1106- 0.1265- 38 0.3781 0.2495- 0.1044- 0.1674- 39 0.3690 0.5029- 0.2964 0.4965- 40 0.3513 0.9042- 0.6907 1.0734- 41 0.2182 1.5259- 0.9493 1.1781- 42 0.0393 1.6994- 1.1060 1.3431- 43 0.3815 1.2764- 0.7123 0.8981- 44 0.4118 0.7951- 0.3667 0.4656- 45 0.2567 0.5083- 0.1691 0.0986- 46 0.2079 0.0974- 0.1808- 0.0227 47 0.2219 0.0754 0.2332- 0.1185- 48 0.5319 0.2798- 0.0481 0.6696- 49 0.2942- 0.4329 0.7332- 0.3802	35	0.2079	0.0289-	0.3982-	0.1445
38 0.3781 0.2495- 0.1044- 0.1674- 39 0.3690 0.5029- 0.2964 0.4965- 40 0.3513 0.9042- 0.6907 1.0734- 41 0.2182 1.5259- 0.9493 1.1781- 42 0.0393 1.6994- 1.1060 1.3431- 43 0.3815 1.2764- 0.7123 0.8981- 44 0.4118 0.7951- 0.3667 0.4656- 45 0.2567 0.5083- 0.1691 0.0986- 46 0.2079 0.0974- 0.1808- 0.0227 47 0.2219 0.0754 0.2332- 0.1185- 48 0.5319 0.2798- 0.0481 0.6696- 49 0.2942- 0.4329 0.7332- 0.3802	36	0.1477	0.1440-	0.1365-	0.0959
39 0.3690 0.5029- 0.2964 0.4965- 40 0.3513 0.9042- 0.6907 1.0734- 41 0.2182 1.5259- 0.9493 1.1781- 42 0.0393 1.6994- 1.1060 1.3431- 43 0.3815 1.2764- 0.7123 0.8981- 44 0.4118 0.7951- 0.3667 0.4656- 45 0.2567 0.5083- 0.1691 0.0986- 46 0.2079 0.0974- 0.1808- 0.0227 47 0.2219 0.0754 0.2332- 0.1185- 48 0.5319 0.2798- 0.0481 0.6696- 49 0.2942- 0.4329 0.7332- 0.3802	37	0.3273	0.1980-	0.1106-	0.1265-
39 0.3690 0.5029- 0.2964 0.4965- 40 0.3513 0.9042- 0.6907 1.0734- 41 0.2182 1.5259- 0.9493 1.1781- 42 0.0393 1.6994- 1.1060 1.3431- 43 0.3815 1.2764- 0.7123 0.8981- 44 0.4118 0.7951- 0.3667 0.4656- 45 0.2567 0.5083- 0.1691 0.0986- 46 0.2079 0.0974- 0.1808- 0.0227 47 0.2219 0.0754 0.2332- 0.1185- 48 0.5319 0.2798- 0.0481 0.6696- 49 0.2942- 0.4329 0.7332- 0.3802	38	0.3781	0.2495-	0.1044-	0.1674-
41 0.2182 1.5259- 0.9493 1.1781- 42 0.0393 1.6994- 1.1060 1.3431- 43 0.3815 1.2764- 0.7123 0.8981- 44 0.4118 0.7951- 0.3667 0.4656- 45 0.2567 0.5083- 0.1691 0.0986- 46 0.2079 0.0974- 0.1808- 0.0227 47 0.2219 0.0754 0.2332- 0.1185- 48 0.5319 0.2798- 0.0481 0.6696- 49 0.2942- 0.4329 0.7332- 0.3802		0.3690	0.5029-	0.2964	0.4965-
41 0.2182 1.5259- 0.9493 1.1781- 42 0.0393 1.6994- 1.1060 1.3431- 43 0.3815 1.2764- 0.7123 0.8981- 44 0.4118 0.7951- 0.3667 0.4656- 45 0.2567 0.5083- 0.1691 0.0986- 46 0.2079 0.0974- 0.1808- 0.0227 47 0.2219 0.0754 0.2332- 0.1185- 48 0.5319 0.2798- 0.0481 0.6696- 49 0.2942- 0.4329 0.7332- 0.3802	40	0.3513	0.9042-	0.6907	1.0734-
43 0.3815 1.2764- 0.7123 0.8981- 44 0.4118 0.7951- 0.3667 0.4656- 45 0.2567 0.5083- 0.1691 0.0986- 46 0.2079 0.0974- 0.1808- 0.0227 47 0.2219 0.0754 0.2332- 0.1185- 48 0.5319 0.2798- 0.0481 0.6696- 49 0.2942- 0.4329 0.7332- 0.3802	41	0.2182	1.5259-	0.9493	1.1781-
44 0.4118 0.7951- 0.3667 0.4656- 45 0.2567 0.5083- 0.1691 0.0986- 46 0.2079 0.0974- 0.1808- 0.0227 47 0.2219 0.0754 0.2332- 0.1185- 48 0.5319 0.2798- 0.0481 0.6696- 49 0.2942- 0.4329 0.7332- 0.3802	42	0.0393	1.6994-	1.1060	1.3431-
44 0.4118 0.7951- 0.3667 0.4656- 45 0.2567 0.5083- 0.1691 0.0986- 46 0.2079 0.0974- 0.1808- 0.0227 47 0.2219 0.0754 0.2332- 0.1185- 48 0.5319 0.2798- 0.0481 0.6696- 49 0.2942- 0.4329 0.7332- 0.3802	43	0.3815	1.2764-	0.7123	0.8981-
46 0.2079 0.0974- 0.1808- 0.0227 47 0.2219 0.0754 0.2332- 0.1185- 48 0.5319 0.2798- 0.0481 0.6696- 49 0.2942- 0.4329 0.7332- 0.3802	44	0.4118	0.7951-	0.3667	0.4656-
47 0.2219 0.0754 0.2332- 0.1185- 48 0.5319 0.2798- 0.0481 0.6696- 49 0.2942- 0.4329 0.7332- 0.3802	45	0.2567	0.5083-	0.1691	0.0986-
47 0.2219 0.0754 0.2332- 0.1185- 48 0.5319 0.2798- 0.0481 0.6696- 49 0.2942- 0.4329 0.7332- 0.3802	46	0.2079	0.0974-	0.1808-	0.0227
48 0.5319 0.2798- 0.0481 0.6696- 49 0.2942- 0.4329 0.7332- 0.3802	47	0.2219	0.0754	0.2332-	0.1185-
	48		0.2798-	0.0481	0.6696-
50 0.3592- 0.3758 0.3570- 0.2620	49	0.2942-	0.4329	0.7332-	0.3802
	50	0.3592-	0.3758	0.3570-	0.2620

^{*} PWM sequences scanning with a window of 50 bases, e.g., from site 1 to site 50, from site 2 to site 50, and so on. A: adenine; C: cytosine; G: guanine; U: uracil.

Table 4. PWM analysis of *Listeria monocytogenes* La111. The consensus sequence is: CCCCCCU-CCCCUUUCCCUCUAUUCUUAUAAAAGG-GGGGGGGUUCAC

Site	A	C	G	U
1	0.1200-	0.3692	0.2661-	0.1573
2	0.1200-	0.3092	0.2001-	0.1373
3	0.1240-	0.3289	0.3239-	0.2103
4	0.2031-	0.2900	0.1040-	0.2232
5	0.1093-	0.2511	0.2100-	0.1940
6	0.0497-	0.2311	0.2035-	0.2107
7	0.1007-	0.2419	0.2033-	0.1078
8	0.0510-	0.4000	0.2314-	0.0939
9	0.1293-	0.2074	0.2321-	0.1312
10	0.1293-	0.2074	0.2321-	0.2207
11	0.1019-	0.3202	0.0022-	0.0939
12	0.0638-	0.2003	0.3342-	0.2207
13	0.0038-	0.1979	0.2037-	0.1708
14	0.0321-	0.1616	0.2225-	0.1203
15	0.0090-	0.2093	0.4240-	0.2022
16	0.0014	0.0149-	0.3525-	0.2424
17	0.0073	0.0112-	0.1349-	0.1128
18	0.0088	0.1023	0.4008-	0.2180
19	0.1200-	0.2419	0.2223-	0.2020
20	0.0047-	0.1818	0.2201-	0.0344
21	0.0010-	0.1979	0.2588-	0.1344
22	0.0173	0.0388	0.2366-	0.1203
23	0.0003	0.1754	0.1903-	0.0371
24	0.0413	0.1030	0.3921-	0.1390
25	0.0001	0.0831	0.3445-	0.1421
26	0.1031	0.0712	0.6247-	0.0870
27	0.1031	0.0747	0.0247-	0.2122
28	0.0905	0.1656	0.4440-	0.2122
29	0.0673	0.1030	0.4440-	0.1633
30	0.0073	0.1492	0.4535-	0.1033
31	0.1679	0.0524-	0.3010-	0.0043
32	0.0567	0.0324-	0.4083-	0.2049
33	0.1668	0.2342-	0.4003-	0.0293
34	0.2983	0.3553-	0.2247	0.2687-
35	0.3132	0.3321-	0.0968-	0.2933-
36	0.3191	0.8939-	0.2061	0.4207-
37	0.2822	0.7890-	0.5233	0.8946-
38	0.0060-	0.9852-	0.9160	0.9885-
39	0.3570-	1.2641-	1.2768	1.3262-
40	0.2910-	1.1954-	1.2530	1.4268-
41	0.1784-	1.0219-	1.0818	1.0747-
42	0.6446-	0.8145-	1.1844	0.6291-
43	0.3888-	0.4774-	0.8596	0.3502-
44	0.0857-	0.3837-	0.3734	0.0823-
45	0.0341	0.2779-	0.1426	0.0540-
46	0.0778	0.2779-	0.2369-	0.1768
47	0.0341	0.1689	0.5008-	0.2049
48	0.1679	0.2906	0.2785-	0.1955-
49	0.2035	0.1850	0.6374-	0.0343
50	0.1896	0.3054	0.6059-	0.0262-
	0.1070	0.5051	0.0000	0.0202

^{*} PWM sequences scanning with a window of 50 bases, e.g., from site 1 to site 50, from site 2 to site 50, and so on. A: adenine; C: cytosine; G: guanine; U: uracil.

Table 5. FASTA algorithm representative output of <i>Klebsiella pneumoniae</i> KCTC 2242 in some of target sequences.			
Target name	Max match	Shift	
KPN2242_00005 C803	5	40	
KPN2242_00010 960	5	34	
KPN2242_00015 2150	5	38	
KPN2242_00020 3831	4	36	
KPN2242_00025 5238	4	38	
KPN2242_00030 C7902	5	39	
KPN2242_00035 8097	4	43	
KPN2242_00045 C14438	6	5	
KPN2242_00050 C15663	5	41	
KPN2242_00055 C16560	4	39	
KPN2242_00060 C17372	5	19	
KPN2242_00065 C17932	6	37	
KPN2242_00070 C18339	6	40	
KPN2242_00075 C19152	4	39	
KPN2242 00080 C20170	5	32	

^{*}First column is some of sequences name; second column is the number of matched sites (Nm) between the SD sequence and the 50mer, and the last column is the start of the match (Sm).

40

6

KPN2242_00085|20520

Table 6. FASTA algorithm output of Listeria monocytogenes La111 in some of target sequences.			
Target name	Max Match	Shift	
BN418_0001 318	5	39	
BN418_0002 1867	4	39	
BN418_0003 3121	5	34	
BN418_0005 4869	4	34	
BN418_0006 6030	4	37	
BN418_0007 8065	5	34	
BN418_0008 10728	4	36	
BN418_0009 12090	5	39	
BN418_0010 12750	4	42	
BN418_0011 13675	4	40	
BN418_0012 14636	4	35	
BN418_0013 16051	5	37	
BN418_0015 17154	5	35	
BN418_0016 19121	6	38	
BN418_0017 19734	5	35	
BN418_0019 C21231	5	38	
BN418_0020 21457	4	36	

^{*}First column is some of sequences name; second column is the number of matched sites (Nm) between the SD sequence and the 50mer, and the last column is the start of the match (Sm).

Table 7 . Statistical analysis of the <i>pneumoniae</i> KCTC 2242.	SD sequences in Listeria mod	nocytogenes La111 and Klebsiella
Klebsiella pneumoniae KCTC 2242	Listeria monocytogenes La111	Statistical analysis
4444	2860	N _{gene}
3830	2600	N_{SD}
0.8618	0.9090	P_{SD}
4.4862	4.5846	Average of N _m
0.5736	0.5897	Standard deviation of N _m

^{*}First column is some of sequences name; second column is the number of matched sites (Nm) between the SD sequence and the 50mer, and the last column is the start of the match (Sm).

Shine Dalgarno Sequences in Bacteria

codon and the anti-SD sequences at the 3' end of ssu rRNA or small ribosomal RNA (18). The SD sequence may be defined by experimental tests showing the SD sequences related to the most accurate positioning of the ribosome at the translation initiation site and the best documents correspond to mutagenesis studies. On the other hand, first, many genes in bacteria (gram negative) have not any short or even trace of a SD sequence and second, when SD sequences are present, their location is very often variable. The ribosomal protein S1 in gram negative bacteria helps to locate TIC or translation initiation codon by binding to AU-rich sequences located 15-30 nucleotides upstream of start codon (18). We called it as S1 hypothesis. For efficient translation initiation, Nm should be four or more and SD sequence may be defined as one with Nm \geq 3 and 31 \leq Sm \leq 45 (11, 14). For mRNAs that have a weak or no SD sequence, the S1 protein is necessary to recognize the initiation codon and therefore, reduces the importance of a strong SD sequence and may allow the SD sequence to degrade. In grampositive bacteria, either they do not have the S1 protein, or have an "S1 protein" that is not conserved and probably is not used to recognize the initiation codon. This important fact suggests that in gram positive bacteria TIC localization may be more dependent on the SD sequence than in the gram negative bacteria (18). Therefore if an essential protein-coding gene in Listeria monocytogenes La111 had lost the SD sequence, so it may not be properly translated and the mutant will be selected against and in Klebsiella pneumoniae KCTC, genes may be more tolerant to mutations obliterating the SD sequence (18). These important facts caused to lead us to test two predictions: (1) the presence of a greater proportion of SD-containing protein-coding genes in Listeria monocytogenes La111 Klebsiella pneumoniae KCTC, and (2) the existence of better matches between the SD

sequence in mRNA and the anti-SD sequence in Listeria monocytogenes La111 than in Klebsiella pneumoniae KCTC. The results showed that the P_{SD} is greater in Listeria monocytogenes La111 than in Klebsiella pneumoniae KCTC 2242 and this agreed with one of our predictions that Listeria monocytogenes La111 genes should more likely have the SD sequence than those in Klebsiella pneumoniae KCTC 2242. The second of our prediction was that Nm should be higher for Listeria monocytogenes La111 genes than Klebsiella pneumoniae KCTC 2242 genes. Our results confirmed this hypothesis (4.5846>4.4862). Thus, it can be concluded that accurate characterization of SD sequences may increase our knowledge on how an organism's transcriptome is related to its cellular proteome.

Conflict of interest

The author declared no conflicts of interest.

References

- Beebe JL, Koneman EW. Recovery of uncommon bacteria from blood: association with neoplastic disease. Clin Microbiol Rev 1995;8:336-56.
- Schlech WF, 3rd. Foodborne listeriosis. Clin Infect Dis 2000;31:770-5.
- Goulet V, Marchetti P. Listeriosis in 225 non-pregnant patients in 1992: clinical aspects and outcome in relation to predisposing conditions. Scand J Infect Dis 1996;28:367-74.
- 4. Sauders BD, Wiedmann M, Desjardins M, et al. Recurrent Listeria monocytogenes infection: relapse or reinfection with a unique strain confirmed by molecular subtyping. Clin Infect Dis 2001;33:257-9.
- 5. Lin YT, Liu CJ, Fung CP, et al. Nosocomial Klebsiella pneumoniae bacteraemia in adult cancer patients--characteristics of neutropenic and non-neutropenic patients. Scand J Infect Dis 2011;43:603-8.
- 6. Henao-Martinez AF, Gonzalez-Fontal GR, Castillo-Mancilla JR, et al. Enterobacteriaceae bacteremias among cancer patients: an observational cohort study. Int J Infect Dis 2013;17:e374-8.
- Wurtzel O, Sesto N, Mellin JR, et al. Comparative transcriptomics of pathogenic and non-pathogenic Listeria species. Mol Syst Biol 2012;8:583.

- 8. Uemura S, Dorywalska M, Lee TH, et al. Peptide bond formation destabilizes Shine-Dalgarno interaction on the ribosome. Nature 2007;446:454-7.
- Shine J, Dalgarno L. The 3'-terminal sequence of Escherichia coli 16S ribosomal RNA: complementarity to nonsense triplets and ribosome binding sites. Proc Natl Acad Sci U S A 1974;71:1342-6.
- 10. Steitz JA, Jakes K. How ribosomes select initiator regions in mRNA: base pair formation between the 3' terminus of 16S rRNA and the mRNA during initiation of protein synthesis in Escherichia coli. Proc Natl Acad Sci U S A 1975;72:4734-8.
- 11. Hui A, de Boer HA. Specialized ribosome system: preferential translation of a single mRNA species by a subpopulation of mutated ribosomes in Escherichia coli. Proc Natl Acad Sci U S A 1987;84:4762-6.
- 12. Jacob WF, Santer M, Dahlberg AE. A single base change in the Shine-Dalgarno region of 16S rRNA of Escherichia coli affects translation of many proteins. Proc Natl Acad Sci USA

1987;84:4757-61.

- 13. Li GW, Oh E, Weissman JS. The anti-Shine-Dalgarno sequence drives translational pausing and codon choice in bacteria. Nature 2012;484:538-41.
- Motalleb G. Translation Elongation Rate Measurement of Epstein-Barr virus Strain GD1. Iran J Cancer Prev 2013;6 214-21.
- 15. Xia X. Position weight matrix, gibbs sampler, and the associated significance tests in motif characterization and prediction. Scientifica (Cairo) 2012;2012;917540.
- 16. Jiong Ma, Campbell A, Karlin S. Correlations between Shine-Dalgarno Sequences and Gene Features Such as Predicted Expression Levels and Operon Structures. J Bacteriol 2002;184:5733-45.
- 17. Gold L. Posttranscriptional regulatory mechanisms in Escherichia coli. Annu Rev Biochem 1988;57:199-233.
- Xia X. Data Analysis in Molecular Biology and Evolution: Springer; 2000.